

**Amendments to the claims:**

This listing of claims replaces all prior versions, and listings, of claims in the application.

**Listing of claims:**

Claims 1-14 (canceled).

15 (currently amended): A method for identifying active substances which affect the covalent bonding of polypeptides to the surface of Gram-positive bacteria, comprising the following steps:

- a) providing a sample of Gram-positive bacteria which contain or produce at least one enzymatic reporter substances which is or can become covalently bonded to the surface of the Gram-positive bacteria, said at least one reporter substance having a different enzymatic activity when not covalently bonded to the surface of the Gram-positive bacteria from that exhibited when it is covalently bonded to the surface of the Gram-positive bacteria;
- b) contacting the sample with a possible active substance;
- c) assaying the enzymatic activity of the reporter substance of the Gram-positive bacteria of the sample; and

d) correlating the enzymatic activity of the reporter substance to a capability of the active substance to affect the covalent bonding of polypeptides to the surface of ~~gram~~ Gram-positive bacteria;

to thereby identify the active substances that affect the covalent bonding of polypeptides to the surface of Gram-positive bacteria.

16 (currently amended): The method according to claim 15, characterized in that said assaying of the ~~enzymatic~~ enzymatic activity of the reporter substance is done by comparison with at least one reference sample which has not been genetically altered, and/or at least one reference sample in which the reporter substance is non-covalently bonded to the surface of Gram-positive bacteria, and/or at least one reference sample in which the reporter substance is covalently bonded to the surface of the Gram-positive bacteria, and/or at least one reference sample in which the reporter substance is present without covalent bonding to the surface of the Gram-positive bacterial.

17 (currently amended): The method according to claim 15, characterized in that said covalent bonding of the polypeptides to the surface of the bacteria is effected to by the polypeptides covalently bonding to murein of present on the bacteria cell wall.

18 (previously presented): The method according to claim 17, characterized in that said covalent bonding of the polypeptides is effected to the murein of the cell wall at pentaglycine interpeptide bridges.

19 (currently amended): The method according to claim 15, characterized in that said polypeptides are pathogenicity factors of Gram-positive bacterial bacteria.

20 (currently amended): The method according to claim 15 characterized in that said reporter substance is a hybrid polypeptide.

21 (currently amended): The method according to claim 20, characterized in that said hybrid polypeptide has a succession of the following sequence segments: N-terminal signal peptide, enzyme, sequence segment having the sequence LPXTG (SEQ ID NO: 11), hydrophobic sequence segment, and charged sequence segment.

22 (previously presented): The method according to claim 21, characterized in that said enzyme is provided as a proenzyme.

23 (currently amended): The method according to claim 21, characterized in that said change of enzymatic activity is due to a transition of the enzyme from an inactive to an active conformation or vice versa from an active to an inactive conformation.

24 (previously presented): The method according to claim 21, characterized in that a linker peptide, especially one comprising less than 10 amino acids, is provided between said enzyme and said sequence segment having the sequence LPXTG.

Claim 25 (cancelled).

26 (previously presented): The method according to claim 15, characterized in that said assaying of the enzymatic activity of said at least one reporter substance is done using fluorescence spectroscopy, especially confocal fluorescence spectroscopy.

27 (previously presented): The method according to claim 15, characterized in that said Gram-positive bacteria express lysostaphin immunity factor.

28 (previously presented): The method according to claim 15, characterized in that the fraction of reporter substances released by natural cell wall changes is determined.

29 (previously presented): The method according to claim 15, characterized in that the fraction of reporter substances which are non-covalently bonded to the surface of Gram-positive bacteria is determined.